# **Early Intervention Services (EIS)**

**Health Resources & Services Administration (HRSA) Definition:** Early Intervention Services (EIS) for Ryan White HIV/AIDS Program (RWHAP) Parts A and B include identification of individuals at points of entry and access to services and provision of HIV testing and targeted counseling, referral services, linkage to care, and health education and literacy training that enable Consumers to navigate the HIV system of care. Part A funds are only used as necessary for HIV testing to supplement, not supplant, existing funding. EIS services must include the following four components:

- Targeted HIV testing to help the unaware learn of their HIV status and receive referral to HIV care and treatment services if found to be HIV-infected.
  - These testing services must be coordinated with other HIV prevention and testing programs to avoid duplication of efforts.
  - HIV testing paid for by EIS cannot supplant testing efforts paid for by other sources.
- Referral services to include HIV care and treatment services at key points of entry.
- Access and linkage to HIV care and treatment services such as HIV
   Outpatient/Ambulatory Health Services, Medical Case Management,, and Substance
   Abuse Care.
- Outreach services and Health Education/Risk Reduction related to HIV diagnosis.

**Program Guidance:** The elements of EIS often overlap with other service category descriptions; however, EIS is the combination of such services rather than a stand-alone service. RWHAP Part A and B recipients should be aware of programmatic expectations that stipulate the allocation of funds into specific service categories.

- RWHAP Parts A and B EIS services must include the following four components:
  - Targeted HIV testing to help the unaware learn of their HIV status and receive referral to HIV care and treatment services if found to be HIV-infected
    - Recipients must coordinate these testing services with other HIV prevention and testing programs to avoid duplication of efforts
    - HIV testing paid for by EIS cannot supplant testing efforts paid for by other sources
  - Referral services to improve HIV care and treatment services at key points of entry
  - Access and linkage to HIV care and treatment services such as HIV
     Outpatient/Ambulatory Health Services, Medical Case Management, and Substance Abuse Care
  - Outreach Services and Health Education/Risk Reduction related to HIV diagnosis

**Note:** The RWHAP Part A and RWHAP Part B EIS programs ensure that RWHAP funds will supplement, not supplant, existing funds for testing. HIV testing is adequately funded through existing federal, state, and local funds, therefore the RWHAP Part A and the RWHAP Part B EIS programs do not conduct HIV testing.

**Eligibility**: Clients shall meet eligibility requirements as defined in the System-Wide Service Standards.

1.0 Agency Policies and Procedures

The Agencies shall have policies and procedures to ensure that the services are accessible to all eligible clients. The Agency policy and procedures will ensure compliance with the following standards.

1.0 A	gency Policies and Procedures	
	Standards	Measures
1.1	The agency shall maintain information about each EIS Coordinator's case load, which includes, at a minimum:  The assigned EIS coordinator.  Number of cases per full-time equivalent (FTE).	1.1 Documentation in agency record
1.2	<ul> <li>EIS Coordinators and EIS Supervisors shall receive 15 hours of training annually and topics shall include:</li> <li>Establishing rapport and a professional relationship with the client;</li> <li>Methods of engaging individuals;</li> <li>Special issues relating to working with people with HIV;</li> <li>Confidentiality/HIPAA and professional ethics;</li> <li>Knowledge of public assistance programs, eligibility requirements, and benefits; and,</li> <li>The Agency's emergency plan, disaster relief resources, and planning and procedures.</li> <li>AETC Core Medical Case Management Modules.</li> <li>Training shall also include, but not be limited to, cultural sensitivity issues, case management issues, biopsychosocial issues surrounding the HIV disease, and any other training</li> </ul>	1.2 Documentation of the training subject matter, date(s) of attendance, and hours in training shall be in the training record. Training Certificates shall be in the personnel file.
1.3	proposed by the Recipient.  All EIS Coordinators shall meet at least one of the following staff qualifications:  • Associate or bachelor level degree in a social science or health discipline and at least one (1) year of case management experience;  • An individual with an associate or bachelor degree in disciplines other	Appropriate degrees, licensure and/or certification in personnel file

than health or social science shall

	have at least one (1) year of direct HIV/AIDS case management experience.  Two (2) years of verifiable experience case managing individuals with HIV at an established agency can substitute on a year-for-year basis for an Associate degree. Note: Use of this qualification must be preapproved by the recipient  Note: These requirements may be waived by the Recipient or Lead	
	Agency.	
1.4	All EIS supervisors must meet the following requirement: Hold a Master level degree in the fields of mental health, social work, counseling, nursing with a mental health focus, sociology or psychology, with at least six (6) months case management experience and appropriate credentials, unless otherwise approved by the Recipient.	Appropriate degrees, licensure and/or certification in personnel file.
	Note: This requirement may be waived by the Recipient or Lead Agency.	
1.5	<ul> <li>EIS supervisors shall have six (6) additional hours of leadership training; including, but not limited to:</li> <li>Cultural humility for clients and staff;</li> <li>Ethics in managing staff;</li> <li>Research; and Clinical quality management in developing staff performance improvement plans for client needs.</li> </ul>	Documentation of the training shall be in the employee (supervisor) training record.     Training certificates shall be in the employee file.
1.6	EIS Coordinators shall actively participate in team meetings or case conferences for the clients in order to improve assessment and to sustain retention in care.  • Supervisors shall maintain a file on EIS Staff and hold Supervisory sessions at least monthly in order to ensure service standards are met.	
1.7	EIS agencies shall demonstrate active	1.7 Current Memorandum of Agreements (MOA) on file
1.7	EIS agencies shall demonstrate active collaboration with other agencies to	1.7 Current Memorandum of Agreements (MOA) on file.

	provide referrals to the full spectrum of HIV-related or other needed services.		
1.8	EIS agencies shall maintain appropriate relationships with Key Points of Entry (KPOE), as defined by HRSA, into the health care system.	1.8	Current MOA(s) on file.
1.9	EIS agencies shall conduct outreach activities for potential clients to promote the availability of services. Outreach activities shall include but are not limited to:  • Participation in health fairs; • Participation in community events; • Collaboration with other providers; and, • Posting of flyers for potential clients.	1.9	Documentation of outreach activities in the approved electronic database management system or as approved by recipient.
1.10	EIS agencies shall develop an annual outreach plan and provide evidence of such arrangements to the recipient upon request.	1.1 0	Outreach plan available upon request.

## 2.0 EIS Client Linkage to Care and Performance Measures

EIS Coordinators shall complete an Acuity assessment of each client to determine their level of need. The assessment shall be documented in the approved electronic database management system. A care plan shall be developed, in collaboration with the client that specifies the process of linking the client to care.

## 2.0 EIS Client Linkage to Care and Performance Measures

	Standards		Measures
2.1	<b>Newly Diagnosed</b> : An individual care plan shall be developed with the participation of the client within 72 hours of the client's positive result. The care plan shall be based on prioritized identified needs, acuity level, and shall address client's cultural needs.	2.1	Care Plan for newly diagnosed client documented in the approved electronic database management system.
2.2	Lost to Care/Return to Care: An individual care plan shall be developed with the participation of the client within 72 hours of the client's first encounter with EIS (initial intake). The care plan shall be based on prioritized identified	2.2	Care Plan for Lost to Care/Return to Care client documented in the approved electronic database management system.

	needs, acuity level, and shall address client's cultural needs.		
2.3	<ul> <li>A care plan shall be developed that includes:</li> <li>Goals and objectives specific to the process of linking clients to care;</li> <li>Identification of a responsible party for each goal and objective; and</li> <li>A timeframe for the monitoring and assessment of clients progress.</li> </ul>	2.3	Care plan with all required elements documented in the approved electronic database management system.  Barriers to care and follow up services are documented in the approved electronic database management system at least every two weeks for care linkage.  Progress note entries in the approved electronic database management system shall document the assistance provided to client to achieve each goal.
2.4	Care plans shall be maintained and updated by EIS staff with the client as each goal is achieved.	2.4	Care plans are updated at least monthly, or at each interval that goals are achieved.
2.5	EIS Coordinators shall determine the need for medical transportation and facilitate the appropriate conveyance.	2.5	All bus passes and door to door vouchers shall be recorded in the approved electronic database management system
2.6	EIS Coordinators shall ensure that all clients are linked to Outpatient/Ambulatory Health Services within 30 days of the initial intake. Linkage to medical care is defined as a successful attendance to an appointment with an ART prescribing provider. Clients who are linked to care through a Test and Treat appointment must have successful attendance to a follow up visit.  Note: Ideally, all clients should be successfully linked to medical care services within three (3) months of initial intake to EIS.	2.6	Documentation of first medical visit scheduled in the approved electronic database management system.
2.7	EIS coordinators shall coordinate referrals and track linkages and outcomes of clients to at least medical and case management services.	2.7	Documentation of referrals in the approved electronic database management system. All referrals documented in the approved electronic database management system per the standard.
2.8	EIS Coordinators will provide Client education concerning the HIV disease process, risk reduction, maintenance of the immune system, disclosure/support,	2.8	Documentation of education provided in EIS Episode of Care and case notes.

	the importance of adherence to treatments and medications, and navigating the RWHAP system of care.		
2.9	EIS Coordinators will ensure that Clients returning to care (those lost to care or out of care more than 6 months) are linked to medical care services within thirty (30) days of the initial EIS intake date.	2.9	Documentation of first medical visit scheduled within 30 days of EIS intake for out of care clients in the approved electronic database management system.

#### 3.0 Documentation

All EIS providers are required to maintain accurate documentation in order to submit data on EIS activities in the approved electronic database management system. The submission requirements are detailed within the contract.

3.0 Documentation				
	Standards		Measures	
3.1	EIS Coordinators shall be assigned within three (3) days of a request or documentation of a reactive HIV Rapid Test.	3.1	The approved electronic database management system shall reflect the name of the assigned Coordinator and date of assignment.	
3.3	EIS Coordinators shall verify documentation of confirmatory test results are documented in the electronic database management system A list of acceptable confirmatory test can be found in the Orlando Service Area System Wide Service Standard.	3.3	Documentation shall be uploaded to the approved electronic database management system from testing sites not part of the RWHAP system of care.	
3.2	EIS Coordinators shall obtain Release of Information (ROI) (as applicable) from	3.2	Signed ROI Form and documentation of Test Results uploaded in the	

### 4.0 Discharge/Graduation

4.0 Discharge/Graduation

clients in order to obtain documentation

appropriate test sites within fifteen (15)

of confirmatory test results from the

days of confirmatory test.

Clients who have achieved successful linkages to medical care services OR are no longer engaged in HIV treatment and care services should have their cases closed based on the criteria and protocol outlined in the agency's Early Intervention Services Policies and Procedures Manual.

4.0 Discharge/Graddation		
Standarda	Magauraa	
Standards	Measures	

approved electronic database

management system.

4.1	Upon termination of active Early Intervention Services, a client's case shall be closed and the record shall contain a discharge summary documenting the case disposition and offer of an exit interview. Exit interviews shall be offered via one of the following:  • Face-to-face visit; • Telephone; or • Written communication  Note: If an EIS Coordinator is unable to conduct an exit interview, the reason must be documented in the client's record.	4.1	Upon discharge clients shall receive a transition plan that outlines available resources and instructions for follow-up.  Documentation of discharge shall be in the approved electronic database management system.  If applicable, documentation of the reason why an exit interview was not conducted.
4.2	All attempts to contact the client and notification about case closure shall be communicated to the case manager, if applicable.  Note: Attempts to contact may include research to determine where an unresponsive client may be located.	4.2	Documentation of attempts to contact clients about case closure in the approved electronic database management system.
4.4	Cases may be closed when the client:  Has completed all EIS goals, which includes successful linkage to medical care services; Has become ineligible for services; Is incarcerated; Is deceased; No longer needs the services; Decides to discontinue the services; The service provider is unable	4.4	Documentation of case closure in the approved electronic database management system.  Note: A client's case shall be closed after five attempts to contact.

to contact the client after five (5) attempted documented

Is found to be improperly utilizing the service or is asked to leave the agency.

contacts; or,

4.5	Supervisor approval is required for all case closures.	4.5	Documentation of supervisor approval in the approved electronic database management system.
4.3	Clients who have been successfully linked to medical care services will be graduated from EIS and transitioned to MCM services, as applicable. Graduation criteria includes:  • Client has achieved successful linkage to medical care services; or  • Client is no longer in need of EIS services (e.g., client is capable of resolving needs independent of medical case management services).	4.3	Documentation of the client's graduation (or case closure) from EIS services is noted in the approved electronic database management system.
	<b>Note:</b> If the case management system is unavailable to accept a client, EIS may retain a client for up to six (6) months.		